## HI764 · HI707 · HI708

10

<u>Photometers</u>

## Nitrite Low Range, High Range and Marine Nitrite Ultra Low Range

Handheld Colorimeters

- Easier to use and more accurate than chemical test kits
- Dedicated to a single parameter
- Small size, big convenience
- Ideal for:
- Aquaculture
- Aquariums
- Education
- Environmental
- Water quality
- Wastewater

Nitrification is the biological oxidation of ammonia (ammonium ion) into nitrite, followed by the oxidation of nitrite to nitrate. The first step of this two-step process is carried out in an aquarium by nitrifying bacteria. During this quick process, the ammonium levels drop while the nitrite levels increase. Since nitrite is just as harmful as ammonia, nitrite levels should be maintained at immeasurable levels. A mature biological filter should be able to keep nitrite levels low.

The HI707, HI708 and HI764 Checker®HC Handheld Colorimeters bridge the gap between simple chemical test kits and professional instrumentation. Chemical test kits are not very accurate, while professional instrumentation can cost hundreds of dollars and can be time-consuming to calibrate and maintain. Hanna Checker HC's are accurate, affordable and easy to use.

To begin measurements, first zero the instrument with your water sample. Next, add the reagent. Last, place the vial into the Checker HC, press and hold the button for 3 seconds to start reaction timer. reading will be taken automatically and the results displayed. It's that easy.

The contoured style of the Checker HC fits in your palm and pocket perfectly and the large LCD is easy to read. The auto shut-off feature assures the battery life will not be drained if you forget to turn it off.

HI764 (Marine ULR)	HI707 (LR)	HI708 (HR)
0 to 200 ppb NON	0 to 600 ppb NO₂	0 to 150 ppm NO₂
1 ppb	1 ppb	1 ppm
±10 ppb ±4% of reading	±20 ppb ±5% of reading	±3 ppm ±5% of reading
LED @ 525 nm	LED @ 470 nm	LED @ 575 nm
silicon photocell		
0 to 50°C (32 to 122°F); RH max 95% non-condensing		
(1) 1.5V AAA		
after two minutes of non-use after ten minutes of non-use		
86.0 x 61.0 x 37.5 mm (3.4 x 2.4 x 1.5")		
64 g (2.3 oz)		
adaptation of the EPA Diazotization method 354.1		adaptation of the Ferrous Sulfate method
<b>HI764</b> Checker®HC is supplied with sample cuvettes with caps (2), marine nitrite ULR reagent starter kit (reagents for 6 tests), battery, instructions and quick start guide.		
HI707   Checker®HC is supplied with sample cuvettes with caps (2), nitrite LR reagent     1   starter kit (reagents for 6 tests), battery, instructions and quick start guide.		
<b>HI708</b> Checker®HC is supplied with sample cuvettes with caps (2), nitrite HR reagent starter kit (reagents for 6 tests), battery, instructions and quick start guide.		
HI764-25 (25 tests)	HI707-25 (25 tests)	HI708-25 (25 tests)
HI764-11	HI707-11	HI708-11
	HI764 (Marine ULR)   0 to 200 ppb NO2 – N   1 ppb   ±10 ppb ±4% of reading   ±10 ppb ±4% of reading   LED @ 525 nm   silicon photocell   0 to 50°C (32 to 122°F); RH max   (1) 1.5V AAA   after two minutes of non-use   86.0 x 61.0 x 37.5 mm (3.4 x 2.4 x)   64 g (2.3 oz)   adaptation of the EPA Diazotiza   HI764 Checker®HC is supplied veagent starter kit (reagents for   HI707 Checker®HC is supplied veagents for 6 tests   HI768 Checker®HC is supplied veagents for 6 tests   HI764-25 (25 tests)   HI764-11	HI764 (Marine ULR) HI707 (LR)   0 to 200 ppb N02 → 0 0 to 600 ppb N02   1 ppb 1 ppb   1 1 ppb 1 ppb   ±10 ppb ±4% of reading ±20 ppb ±5% of reading   LED @ 525 nm LED @ 470 nm   silicon photocell 0   0 to 50°C (32 to 122°F); RH max >5% non-condensing 1   (1) 1.5V AAA after two minutes of non-use   after two minutes of non-use after ten minutes of non-use   86.0 x 61.0 x 37.5 mm (3.4 x 2 + x 1.5") 64 g (2.3 oz)   adaptation of the EPA Diazotization method 354.1 method 354.1   HI764 Checker®HC is supplied with sample cuvettes with capater text (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questarter kit (reagents for 6 tests), battery, instructions and questar

Line ID: @neonics



ติดต่อบริษัท นีโอนิคส์ จำกัด Tel: 098-479-5684 หรือ 061-8268939 E-mail: sale@tools.in.th เว็บไซต์ www.tools.in.th

Checker®HC

10.116