## PRODUCT DATA SHEET

## SM2234A Non-contact Tachometer




## **Features**

- Large LCD display for easy viewing (5 digits of 18 mm).
- Sampling time: 0.8 seconds (at more than 1000 RPM).
- Automatic range selection.
- Memory pairto the maximum, minimum and last values.

GITAL TACHOMETER PERATION MANUAL

Measuring speed: 2.5 to 99,999 RPM.



## **Specifications**

- > Large LCD display for easy viewing (5 digits of 18 mm).
- > Sampling time: 0.8 seconds (at more than 1000 RPM).
- Automatic range selection.
- > Memory pairto the maximum, minimum and last values.
- Measuring speed: 2.5 to 99,999 RPM.
- $\succ$  Resolution:
- > 0.1 RPM (2.5 to 999.9 RPM)
- > 1 RPM (at 1000 RPM or more)
- Detection distance: 50 to 500 mm.
- ➤ Accuracy of 0.05%.
- 6 MHz quartz crystal.
- It works with 3 1.5V AA batteries (not included).
- Size: 155 x 70 x 35 mm.



ติดต่อบริษัท นีโอนิคส์ จำกัด Tel: 098-479-5684 หรือ 061-8268939 E-mail: sale@neonics.co.th หรือ sale@tools.in.th